

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Dated 25th February 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDING SATURDAY THE 20TH FEBRUARY 1965.

No. VS-8/SPH/64-65. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 18 attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 7 attacks with 1 death from Small-pox was reported from the entire State viz., from the taluks of Navalgund of Dharwar District *as against* 46 attacks with 5 deaths reported during the corresponding week of the previous year.

The State remained free from Cholera during the week *as against* 1 attack with 1 death reported during the corresponding week of the last year.

A total of 2 attacks with nil deaths from K.F. Disease was reported from Shimoga district, *as against* 6 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 226 (102 in Hospitals) for the week, *as against* 228 (86 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.2 (6.7 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 12.5 (7.8 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Smallpox, 25 due to Dysentery and Diarrhoea, 9 due to Consumption and 191 due to all other causes, *as against* 7 due to other fevers, 10 due to Dysentery and Diarrhoea and 211 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 49 (10 in hospitals) for the week giving a calculated death rate of 9.9 (7.9 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 3 were due to Typhoid, 14 due to other fevers, 3 due to Dysentery and Diarrhoea, and 29 due to all other causes.

The report for K.G.F. City has not been received.

The total mortality for Belgaum City amounted to 25 (16 in hospitals) for the week *as against* 6 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.4 (3.0 excluding hospital death) per mille of population (mid-year estimated) *as against* 2.3 (excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Typhoid, 1 due to other fever, 23 due to all other causes, *as against* 6 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 16 (10 in hospitals) for the week *as against* 11 (3 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.4 (1.9 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.8 (2.8 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to Dysentery and Diarrhoea, 1 due to Consumption and 12 due to all other causes *as against* 1 due to consumption and 10 due to all other causes reported during the corresponding week of the previous year.

241 For Director of Public Health.

Notification dated 4th March 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDING SATURDAY, 27th FEBRUARY 1965.

No. VS 9/SPH/64-65. The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 4 attacks with 3 deaths and nil attacks with nil deaths respectively.

2 A total of 1 attacks with nil deaths from Smallpox was reported from the entire State viz., from the taluk of Karkal (South Kanara) *as against* 17 attacks with 2 deaths reported during the corresponding week of the previous year.

3 The State remained free from Cholera during the week *as against* 14 attacks with 5 deaths reported during the corresponding week of the last year.

4 A total of 4 attacks with nil deaths from K. F. Disease was reported from Shimoga District, *as against* 6 attacks with nil deaths reported during the corresponding week of the previous year.

5 The State remained free from Yellow fever, relapsing fever, Infectious Hepatitis and Influenza in epidemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

6 The total mortality for Bangalore Corporation amounted to 221 (104 in hospitals) for the week *as against* 140 (51 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.0 (3.2 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 7.7 (4.9 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to other fevers, 26 due to Dysentery and Diarrhoea, 11 due to consumption and 183 due to all other causes, *as against* 2 due to Smallpox, 11 due to other fevers, 6 due to Dysentery and Diarrhoea, and 121 due to all other causes reported during the corresponding week of the previous year.

7 The total mortality for Mysore City amounted to 71 (37 in hospitals) for the week, giving a calculated death rate of 14.3 (6.9 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 7 were due to other fevers, 3 due to Dysentery and Diarrhoea, 5 due to Consumption and 56 due to all other causes.

8 The total mortality for K. G. F. City amounted to 10 (10 in hospitals) for the week, giving a calculated death rate of 3.2 (nil excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 10 were due to all other causes.


9 The total mortality for Belgaum City amounted to 34 (30 in hospitals) for the week *as against* 39 (37 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.3 (1.5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 14.9 (0.8) excluding hospital deaths for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to dysentery and Diarrhoea, 4 due to Consumption and 29 due to all other causes, *as against* 2 were due to Typhoid, 4 due to Dysentery and Diarrhoea, 5 due to consumption and 28 due to all other causes reported during the corresponding week of the previous year.

10 The total mortality for Mangalore City amounted to 15 (5 in hospitals) for the week *as against* 9 (4 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 5.0 (3.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 3.1 (1.7 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to other fevers, 1 due to consumption and 12 due to all other causes, *as against* 1 due to other fever, 1 due to consumption and 7 due to all other causes, reported during the corresponding week of the previous year.

243

....., For Dy. D. P. H.

The Mysore Gazette

PUBLISHED BY  AUTHORITY

Vol 100

BANGALORE, THURSDAY, APRIL 1, 1965
(CHAITRA 11, SAKA ERA 1887).

No. 13

PART V

SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

OFFICE OF THE DIRECTOR OF STATISTICS IN MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

Weekly Weather and Crop Report for the Week ending Wednesday, the 24th February 1965.

No. of rainy days in the week	Rainfall in Millimeters				Condition of					Remarks
	During the week		Since the beginning of the season							
	Actual	Normal	Actual	Normal						
	1	2	3	4	5	6	7	8	9	

(From 3-12-1964)

1. Bangalore District.

Fair

Good except for the prevalence of "Black Quarter" at one village of Ramanagar Taluk.

2. Kolar District.

Good

3. Tumkur District.

Good except for the prevalence of "Black Quarter" at three villages of Tumkur taluk.

4. Mysore District.

Good

5. Mandya District.

Good

6. Hassan District.

Good

7. Chikmagalur District.

Good

... 5)

M. GANGARUDRAIAH, For *Director*.

REMARKS.— (1) Refers to 7 Taluks, (2) Refers to 8 Taluks, (3) Refers to 9 Taluks, (4) Refers to 6 Taluks, (5) Refers to 4 Taluks,
(6) Refers to 5 Taluks, (7) Refers to 5 Taluks, (8) Refers to 8 Taluks, (9) Refers to 5 Taluks, (10) Refers to 7 Taluks,
(11) Refers to 4 Taluks, (12) Refers to 10 Taluks, (13) Refers to 8 Taluks, (14) Refers to 7 Taluks, (15) Refers to 5 Taluks,
(16) Refers to 2 Taluks, (17) Refers to 4 Taluks.

**General Weekly Summary Report of Mysore State for
6th Week ending Wednesday, the 24th February 1965**

NOTE.—(a) Denotes:—Rainfall.

- (b) " Sowing/Transplantation
- (c) " Conditions of standing crops.
- (d) " Harvest.
- (e) " General progress of Agricultural Operation
- (f) " Water supply.
- (g) " Fodder/Pasture.
- (h) " Condition of Cattle,

1 Bangalore District.—

- (a) No rainfall during the week.
- (b) Nil.
- (c) Standing crops were fair.
- (d) Harvesting of Paddy was nearing completion in Channarayana Taluk.
- (e) Progress was fair in 8 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy, except for the prevalence of Black Quarter at one village of Ramanagaram Taluk

2 Kolar District.—

- (a) No rainfall during the week.
- (b) Transplantation of Paddy in Bagopalli, Bangarpet, Kolar, Mulbagal, Sidiyabhatta and Srinivasapur Taluks was in progress.
- (c) Standing crops were fair.
- (d) Harvesting of Sugarcane in Gowribidanur Taluk, Potato and Onion in Bangarpet Taluk was in progress.
- (e) Progress was fair in 5 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally healthy except for the prevalence of Small Pox at one village of Mulbagal Taluk.

3 Tumkur District.—

- (a) No rainfall during the week.
- (b) Transplantation of Paddy in Madhugiri, Chikmagalur, Sira and Pavagada Taluks was in progress.
- (c) Standing crops were fair.
- (d) Harvesting of Paddy, in Madhugiri, Turuvekere and Tumkur Taluks, Paddy Ragi and Sugarcane in Gubbi Taluk was in progress.
- (e) Progress was fair in 5 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally healthy, except for the prevalence of Black Quarter in some villages of Tumkur Taluk.

4 Mysore District.—

- (a) No rainfall during the week.
- (b) Nil.
- (c) Standing crops were fair.
- (d) Harvesting of Paddy was completed in Periyaspatna Taluk
- (e) Nil.
- (f) Sufficient.
- (g) Available.
- (h) Generally healthy.

5 Mandya District.—

- (a) No rainfall during the week.
- (b) Transplantation of Sugarcane in Maddur Taluk was in progress.
- (c) Standing crops were fair.
- (d) Harvesting of Sugarcane in Maddur, Pandavapur and Srirangapatna Taluks was in progress.
- (e) Progress was fair in 2 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

6 Hassan District.—

- (a) No rainfall during the week
- (b) Nil.
- (c) Standing crops were fair.
- (d) Nil
- (e) Progress was fair in 4 taluks
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

7 Chikmagalur District.—

- (a) No rainfall during the week.
- (b) Nil
- (c) Standing crops were fair.
- (d) Harvesting of Ragi Jowar, and Paddy in Kadur Taluk Sugarcane in Sringeri taluk. Coffee and Sugarcane in Mudigere Taluk was in progress.
- (e) Progress was fair in 2 Taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

8 Shimoga District.—

- (a) No Rainfall during the week
- (b) Sowing—Transplantation of Paddy, Ragi, gram and Bengalgram in Shimoga Taluk was in progress.
- (c) Standing Crops were fair.
- (d) Harvesting of Cotton, Wheat and Sugarcane in Honnali taluk, Sugarcane in Thirthahalli taluk was in progress.
- (e) Progress was fair in 2 Taluk,
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

9 Chitradurga District.—

- (a) No Rainfall during the week.
- (b) Sowing and Transplantation of Summer G-Nut in Harihar taluk, G. Nut and Paddy in Challakere Taluk, Paddy in Hosadurga and Molakalmuru Taluks was in progress.
- (c) Standing Crops were fair.
- (d) Harvesting of Chillies Tur and Cotton in Harihar Taluk Jowar and Bengalgram in Hiriya and Hosadurga taluks Bili Jowar in Chitradurga taluk was in progress.
- (e) Progress was fair in 6 Taluks.
- (f) Sufficient.
- (g) Available
- (h) Generally Healthy.

10 Bellary District.—

- (a) Nil.
- (b) Transplantation of II Crop Paddy in Kudligi and Sandur taluks was in progress.
- (c) Standing Crops were fair.
- (d) Harvesting of Sugarcane and Jawar in Hospet Taluk, Sugarcane in Siruguppa Hadagalli, Kudligi and Sandur Taluks was in progress.
- (e) Progress was fair in 2 Taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

11 Bijapur District.—

- (a) No Rainfall during the week.
- (b) Nil.
- (c) Standing crops were fair except in Muddebihal Taluk where Cotton was slightly affected by pest.
- (d) Harvesting of Rabi Jowar and Wheat in Sindigi, Jamkhandi and Muddebihal Taluks, Rabi Jowar in Indri Taluk, Rabi Crops in Bagewadi, Hingund and Bagalkot Taluks was in progress.
- (e) Progress was fair in 2 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally healthy.

12 Belgaum District.—

- (a) No Rainfall during the week.
- (b) Nil.
- (c) Standing crops were fair.
- (d) Harvesting of R. Jowar in Ramdurg tq, Wheat R. Jowar and Bengalgram in Athani Taluk Cotton in Parasgad Taluk was in progress.
- (e) Progress was fair in 2 Taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

13 Dharwar District.—

- (a) No rainfall during the week
- (b) Nil,
- (c) Standing crops were fair except in Hubli tq. where wheat was affected by "Red rust", cotton was affected by eastern wind in Byadgi tq. Rabi Jowar was affected by grass hoppers in Navalgund tq.
- (d) Harvesting the crop in Haveri taluk Wheat R. Jowar and Cotton in Nargund Taluk, Wheat in Hubli, Mundargi Navalgund, tq, wheat and R. Jawar in Ron tq. Wheat Cotton in Gadag tq. Cotton in Byadgi Taluk was in progress.
- (e) Progress was fair in 4 Taluks
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

14 North Kanara District,—

- (a) No Rainfall during the week.
- (b) Sowing of Rabi Paddy was completed in Supa tq. same was in progress.
- (c) Standing crops were fair.
- (d) Harvesting of Sugarcane in Mundgod, Karwar and Honnawar, Taluks was in progress.
- (e) Progress was fair in 3 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

15 Gulbarga District,—

- (a) No rainfall during the week.
- (b) Nil.
- (c) Standing crops were fair.
- (d) Harvesting of Jowar, Wheat, Gram, Linseed and Safflower in Sedam Taluk Rabi Crops in Chinohalli Taluk Rabi Jowar in Yadgir tq. was in progress.
- (e) Nil.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

16 Belchur District,—

- (a) No Rainfall during the week.
- (b) Sowing of Summer Groundnut in Manvi Taluk was in progress.
- (c) Standing crops were fair.
- (d) Harvesting of Rabi Jowar in Sindhnur tq. Jowar and Cotton in Yelburga taluk and Manvi Taluks was in progress.
- (e) Progress was fair in 4 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally healthy.

17 Bidar District —

- (a) No Rainfall during the week.
- (b) Nil.
- (c) Standing crops were fair.
- (d) Harvesting of G. Nut, Sugarcane, Tur and Rabi Jowar in Humnabad Taluk was in progress.
- (e) Nil.
- (f) Sufficient.
- (g) Available.
- (h) Generally healthy.

18 South Kanara District,—

- (a) No rainfall during the week.
- (b) Sowing of III crop Paddy in Pattur Taluk was in progress.
- (c) Standing crops were fair.
- (d) Harvesting of II Crop Paddy in Coondapur and Pattur Taluks was in progress.
- (e) Progress was fair in 2 taluks.
- (f) Sufficient.
- (g) Available.
- (h) Generally Healthy.

19 Coorg District,—

- (a) Nil.
- (b) Nil.
- (c) Standing Crops were fair.
- (d) Nil.
- (e) Nil.
- (f) Sufficient.
- (g) Available.
- (h) Generally healthy.

M. GANGARUDRAIAH,
For Director.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Dated 12th March 1965.

Note on the state of public health in Mysore State week ending Saturday, the 6th March 1965.

The state remained free from Epidemic diseases during the week under report. Comparative figures for the corresponding week 1964 were as follows:—

	Attacks.	Deaths.
Plague.	nil.	nil.
Smallpox.	43	8
Cholera.	58	13

A total of 1 attack with nil deaths from K. F. Disease was reported from Shimoga Dist., as against 5 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, infectious hepatitis and influenza in epidemic form, as against nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 136 (52 in hospitals) for the week as against 160 (51 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 7.4 (4.5 excluding hospital deaths) per mille of population (mid-year estimated) as against 8.8 (6.0 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 20 were due to dysentery and diarrhoea, 9 due to consumption and 107 due to all other causes, as against 9 due to other fevers, 7 due to dysentery and diarrhoea and 144 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 50 (33 in Hospitals) for the week, giving calculated death rate of 10.1 (3.4 excluding hospital deaths) per mille of population (mid-year estimated). Classified according to causes of deaths, 3 were due to other fevers, 1 due to dysentery and diarrhoea, 2 due to consumption and 44 due to all other causes.

The report for K. G. F. City has not been received.

The total mortality for Belgaum City amounted to 33 (18 in hospitals) for the week as against 49 (46 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 10.9 (5.7 excluding hospital deaths) per mille of population (mid-year estimated) as against 18.7 (1.1 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers, 3 due to consumption and 27 due to all other causes, as against 6 due to consumption and 43 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 13 (nil in hospitals) for the week as against 4 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.4 (nil excluding hospital deaths) per mille of population (mid-year estimated) as against 1.4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to consumption and 12 due to all other causes, as against 1 due to consumption and 3 due to all other causes reported during the corresponding week of the previous year.

Rainfall				Naye Paise estimates of out-turn of important crops.					
Scanty 0 per cent to 40 per cent of normal	Deficient 41 per cent to 80 per cent of normal.	Normal 81 per cent to 120 per cent of normal.	Excessive 121 per cent and over of normal.	Paddy	Ragi	Jowar	Bajra	Sugarcane	Other Crops
1	2	3	4	5	6	7	8	9	10

1. Bangalore District.	58	54		
Excessive	(Average of 3 taluks)			
2. Kolar District.	62	50		
3. Tumkur District.	60	87		
4. Mysore District.	48	43	45	50
	(Average of 6 taluks)	(Average of 8 taluks)	(Average of 2 taluks)	(Average of 4 taluks)
5. Mandya District.	75	50	20	75
6. Hassan District.	69	56		
7. Chikmagalur District.	56	56		
8. Shimoga District.	62	56		
9. Chitradurga District.	Not Received.			
10. Bellary District.	55	48	55	55
	(Avg. of 5 Tqs.)	(Avg. of 8 Tqs.)	(Average of 4 taluks)	
11. Bijapur District.	62	...		Cotton—37,
12. Belgaum District.	47	45		G. nut—44 Oilseeds—44, Tobacco—44,
13. Dharwar District.	42	44		G. nut—40. Oilseeds—37 Cotton—34, H. Gram—40. Wheat—31, Savi—56
14. North Kanara District.	50	50		
15. Gulbarga District.	56	...		
16. Raichur District.	41	87		Tur—32, H. Gram—37, Cotton—31, G. nut—50, Sesamum—50.
17. Bidar District.	60	...		
18. South Kanara District.	62	...		
19. Coorg District.	62	66		Coffee—62. Cardamom—62.

M GANGARUDRAIAH,
For *Director of Statistics.*

Statement showing of Monthly Weather and Crop
Report for December 1964.

Note.—(a) Denotes Conditions of Water Supply
(b) " Sowing/Transplantation.
(c) " Standing Crops.
(d) " Harvest.
(e) " Fodder and Pasture.
(f) " Cattle.
(g) " Rainfall.
(h) " Damage to crops.
(i) " Remarks.

1 Bangalore District.—

- (a) Sufficient.
- (b) Nil
- (c) Generally fair.
- (d) Harvesting of Paddy was in progress in most of the taluks
- (e) Available.
- (f) Generally Healthy.
- (g) Excessive
- (h) Nil
- (i) Refers to 6 Taluk

2 Kolar District.—

- (a) Sufficient.
- (b) Transplantation of paddy was in progress in Gudibanda, Bagipalli, Gowribidanur, Bangarpat, Siddaghatta and Kolar Taluks.
- (c) Generally fair.
- (d) Harvesting of Ragi paddy and G. nut was in progress
- (e) Available.
- (f) Generally Healthy.
- (g) Normal.
- (h) Nil.
- (i)

3 Tumkur District.—

- (a) Sufficient.
- (b) Transplantation of Paddy was just commenced in Pavagada and Koratagore Taluks.
- (c) Generally fair.
- (d) Harvesting of Ragi, paddy, Groundnut, and other minor millets was in progress in most of the Taluks.
- (e) Available.
- (f) Generally Healthy.
- (g) Deficient
- (h) Nil.
- (i) Refers to 9 Taluks.

4 Mysore District —

- (a) Sufficient.
- (b) Nil
- (c) Generally fair.
- (d) Harvesting of Paddy in Hunsur, Peryapatna, Ohamaraja nagar, Mysore and Yelandur Taluks. was in progress.
- (e) Available.
- (f) Generally Healthy
- (g) Scanty
- (h) Nil
- (i) Refers to 8 taluks

5 Mandya District.—

- (a) Sufficient.
- (b) Transplantation of Sugarcane in Maddur and Srirangapatna Taluks. was in progress
- (c) Generally Fair.
- (d) Harvesting of paddy had been completed in all the Taluks, and Sugarcane was in progress.
- (e) Available.
- (f) Generally Healthy
- (g) Nil
- (h) Nil.
- (i)

6 Hassan District.—

- (a) Sufficient
- (b) Paddy was being transplanted in some parts of Manjarabad taluk.
- (c) Generally Fair
- (d) Harvesting of Paddy, Hiragur and Sugarcane was in progress.
- (e) Available.
- (f) Generally Healthy
- (g) Nil
- (h) Nil.
- (i) Refers to 6 Taluks.

7 Chikmagalur District.—

- (a) Sufficient
- (b) Nil
- (c) Generally Fair
- (d) Harvesting of Paddy, Ragi, G. nut, Areca, Coffee and Sugarcane was in progress.
- (e) Available.
- (f) Generally Healthy
- (g) Scanty
- (h) Nil
- (i) Refers to 5 Taluks.

8 Shimoga District.—

- (a) Adequate.
- (b) Nil.
- (c) Generally Fair.
- (d) Harvesting of Ragi and Jawar crops in all taluks had been completed, Paddy and Areca was in progress.
- (e) Available.
- (f) Generally Healthy
- (g) Normal.
- (h) Nil.
- (i)

9 Chitradurga District.—

10 Bellary District.—

- (a) Sufficient except in Siruguppa Taluk where insufficiency was felt.
- (b) Nil
- (c) Fair except in some parts of Siruguppa Taluk where Paddy crops was affected by pest
- (d) Harvesting of sugarcane paddy in Siruguppa, Bellary and Hospet Taluks, and Rabi, jowar in Hadagalli and Kudligi Taluks was in Progress.
- (e) Available.
- (f) Generally Healthy
- (g) Scanty
- (h) Nil
- (i) Refers to 7 Taluks

11 Bijapur District.—

- (a) Adequate
- (b) Nil
- (c) Generally Fair.
- (d) Harvesting of Kharif Jowar and Bajra was almost completed.
- (e) Available.
- (f) Generally Healthy
- (g) Normal
- (h) Nil
- (i) Rabi crops in Bijapur Taluk reported to have been affected due to untimely rains

12 Solgaum District.—

- (a) Adequate
- (b) Nil
- (c) Generally Fair
- (d) Harvesting of Kharif crops was nearing completion
- (e) Available.
- (f) Generally Healthy
- (g) Normal
- (h)
- (i)

13 Dharwar District.—

- (a) Adequate
- (b) Nil
- (c) Generally Fair
- (d) Harvesting of Kharif Jowar, and Paddy was in Progress, throughout the District
- (e) Available.
- (f) Generally Healthy
- (g) Scanty
- (h)
- (i)

14 North Kanara District.—

- (a) Adequate
- (b) Nil
- (c) Generally Fair.
- (d) Harvesting of Kharif Paddy was completed and Sugarcane was in progress
- (e) Available.
- (f) Generally Healthy
- (g) Scanty
- (h)
- (i)

15 Gulbarga District.—

- (a) Adequate except in Afzalpur Taluk where insufficiency was felt
- (b) Nil
- (c) Generally Fair.
- (d) Harvesting of Kharif crops was in progress in Yadgir, Shorapur Jewargi Afzalpur and Chinoholi Taluks.
- (e) Available
- (f) Generally Healthy
- (g) Scanty
- (h)
- (i)

16 Raichur District.—

- (a) Sufficient.
- (b) Nil.
- (c) Generally fair.
- (d) Completed.
- (e) Available.
- (f) Generally Healthy.
- (g) Nil.
- (h)
- (i)

17 Bidar District.—

- (a) Sufficient.
- (b) Nil.
- (c) Generally fair.
- (d) Harvesting of Groundnut in Hamnabad taluk was in progress.
- (e) Available.
- (f) Generally Healthy.
- (g) Nil.
- (h)
- (i)

18 South Kanara District.—

- (a) Sufficient.
- (b) Transplantation of II Crop Paddy had been completed.
- (c) Generally fair.
- (d) Nil.
- (e) Available except in Udipi taluk.
- (f) Generally Healthy.
- (g) Deficient
- (h)
- (i)

19 Coorg District.—

- (a) Sufficient
- (b) Nil.
- (c) Generally fair.
- (d) Harvesting of Paddy, Coffee and Cardamom had just commenced in most of the taluks.
- (e) Sufficient.
- (f) Generally Healthy.
- (g) Normal.
- (h)
- (i)

M. GANGARUDRAIAH,
For Director of Statistics.

OFFICE OF THE DIRECTOR OF PUBLIC HEALTH, BUREAU OF EPIDEMIOLOGY.

*Note on the State of Public health in Mysore State
Week ending Saturday 13th March 1965.*

No. VS. 11/SPH/64-5—The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were 9 attacks with 1 death and nil attacks with nil deaths respectively.

A total of 7 attacks with nil deaths from smallpox was reported from the entire State viz. from the taluks of Ramadurga (Belgaum) Hospet (Bellary), Mangalore (South Kanara), as against 38 attacks with 7 deaths reported during the corresponding week of the previous year.

A total of 24 attacks with 5 deaths from Cholera was reported for the entire state viz., from the taluk of Hospet

(Bellary) during the week as against 438 attacks with 34 deaths reported during the corresponding week of the last year.

A total of 1 attack with nil deaths from K. F. Disease was reported from Shimoga district, as against nil attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, infectious Hepatitis and influenza in epidemic form as against nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation Amounted to 224 (91 in hospitals) for the week as against 132 (56 in hospitals) during the corresponding week of the Previous year giving a calculated death rate of 12.2 (7.0 excluding hospital deaths) per mille of population (mid-year estimated) as against 7.3 (3.9 excluding hospital deaths) for the corresponding week of last year.

Classified according to causes of deaths, 19 were due to Dysentery and Diarrhoea, 9 due to consumption and 196 due to all other causes, as against, 2 were due to smallpox, 3 due to other fevers, 12 due to Dysentery and Diarrhoea, and 115 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore city amounted to 63 (48 in hospitals) for the week as against 52 (31 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 12.7 (3.0 excluding hospital deaths) per mille of population (mid-year estimated) as against 10.5 (4.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 1 was due to Typhoid, 6 due to other fevers, 2 due to Dysentery and Diarrhoea, 4 due to consumption and 50 due to all other causes, as against, 7 due to other fevers, 5 due to dysentery and diarrhoea and 40 due to all other causes, reported during the corresponding week of the previous year.

The report for K. G. F. City has not been received.

The total mortality for Belgaum City amounted to 20 (nil in hospitals) for the week as against 57 (27 in hospital) during the corresponding week of the previous year, giving a calculated death rate of 7.5 (nil excluding hospital deaths) per mille of population (mid-year estimated) as against 19.5 (9.2 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 7 due to other fevers and 17 due to all other causes, as against 1 due to Typhoid, 2 due to other fevers, 10 due to consumption and 38 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 12 (nil in hospitals) for the week as against 6 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 4.1 (nil excluding hospital deaths) per mille of population (mid-year estimated) as against 2.0 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 2 were due to consumption and 10 due to all other causes, as against 1 due to consumption and 5 due to all other causes reported during the corresponding week of the previous year.

27746

J. SHIVALINGAIAH, for Dy. Director.